Post-transplant follow up from 3 months

Post transp	olant follow up testing - 3 months and onwar	<u>rd</u>				
4-6 months	s: weekly-2nd weekly clinic appointments w	ith weight, BP, creatinin	e and CNI/SRL lev	els every appoi	ntment	
6-12 montl	hs: 2nd weekly - monthly clinic appointment	s with weight, BP, creati	nine and CNI/SRL	levels every ap	pointment	
Yearly: Car	ncer screening as indicated (see <i>Post-transpi</i>	lant cancer screening pro	tocol) and influer	nza vaccination		
Second year	arly: BMD if eGFR>30					
Months	BK & CMV DNA plus EBV DNA if D+/R-	Fasting or Random BSL	Lipids	Protocol biopsy	De novo DSAs	Urine ACR or PCR
4-6 m	Monthly	Every visit	3mthly		PRN	Monthly
7-12 m	2mthly^	Every visit	3mthly	12mth	12 mth	Monthly
>12 m	6mthly between 12-24 months then PRN	6mthly -yearly	6mthly - yearly		PRN	3-6 mthly
Amonthly (CMV at 7-12m for those with CMV D+/R-					

Post-transplant cancer screening protocol		
Cancer Type	Screening Recommendation	
Skin	Annual skin examination	
Breast	Second yearly mammogram (same as general population. Free for women age>40)	
Cervical	3-yearly cervical screen (General population recommendation is 5-yearly; full Medicare rebate for all immunocompromised patients 3-yearly)	
Colorectal	Second yearly faecal occult blood test (FOBT) (Same as general population)	
PTLD	History and physical examination every 3 months in the first post-transplant year, then annually (Most cases within the first 2 years post-transplant. Increased risk group: EBV IgG +ve donor to IgG –ve recipient)	
Renal	Native (+/- transplant kidney) USS every 2-5 years to be considered. 2 nd yearly screening for those with established risk factors including long dialysis vintage, acquired cystic kidney disease, past RCC.	
Prostate	PSA yearly (at nephrologist's discretion, no evidence)	